

At Rostino Roasters it is all about you. Buying one of our Rostino Roasters will leave you happy, knowing that you have bought the best coffee roaster in the world. We take a unique approach to designing and building our Rostino Roasters. We believe that above all, the way to make the world's best roaster is to take time to listen to you, the professional coffee roaster. As a company our clear priority is to serve and satisfy you. We have listened and now we have created a range of machines that answer all your needs and will make you happy.

Our Rostino Roasters are made to last and give years of service. We carefully consider purpose, materials and end of life when creating our products. Local manufacture speeds up the transition to a circular economy.

We believe that change has to start with ourselves. We have designed a strong and sustainable supply chain to cut energy consumption and reduce waste across our business.

WHY ROSTINO ?

ROS10 coffee roaster has been designed for optimal and high efficiency heat transfer and distribution. Our development on coffee roasting brings the unique drum design which has homogeneous, constant and stable bean roasting at each batch.

Our machines are designed for professional use; precise controls for exact roasting and our unique 'Green' option are the result of precise engineering and manufacturing, coupled with an intelligent software interface, to increase ease of use in busy roastery environments.

Our machines are built to last and give you and your business years of pleasure. We never forget that it is all about you.



ROS 5



DATA SHEET: ROS 5

COFFEE ROASTING MACHINE



KEY FEATURES

Advanced Automation

- 15-inch touchscreen control for real-time adjustments (drum speed, exhaust, flame levels).
- Rostino Profile System: Saves unlimited roast profiles and replicates them precisely.
- AI Correction: Auto-adjusts flame/fan speed if deviations from saved profiles occur.

Optimized Roasting Performance

- Double-wall drum/18/mm for homogeneous heat distribution.
- Premix burner (supports propane, LPG, natural gas, or electricity).
- Fully automatic green/roasted coffee drop system.

Built for Professionals

- Industrial-grade durability for high-volume roasteries.
- Energy-efficient design with "Green" mode option.

• CONTROL & SOFTWARE

- Touchscreen Interface: Adjust motors, drum speed, exhaust, and flame levels.
- Unlimited Profile Storage: Save and replay exact roast sequences.
- AI-Powered Roasting: Auto-corrects deviations from saved profiles.

• SAFETY & COMPLIANCE

- CE / ISO Certified (specify if applicable)
- OSHA-compliant safety mechanisms (emergency stop, overheating protection).

**CAPACITY: 5 KG PER BATCH | OUTPUT:
15–20 KG/H (VARIES BY ROASTING STYLE)**

• TECHNICAL SPECIFICATIONS

- Parameter Specification
- Dimensions (W×L×H) 80*175*176 cm
- Weight 5 kg (batch capacity)
- Exhaust Pipe Diameter Ø168 mm
- Power Supply Single Phase: 110/220V 50/60Hz
- Three Phase: 380/400V 50/60Hz
- Power Consumption 10 kW/h
- Electric Current 13A
- Fuel Options Propane, LPG, Natural Gas, Electricity
- Gas Pressure (Operating) NG: 20 mbar / LPG: 30 mbar
- Source Gas Pressure 1–4 bar

• OPTIONAL ACCESSORIES

- Afterburner (for emissions control)
- Cooling tray extensions
- Remote monitoring software



ROSTINO

CONTACT US

+905383607501

Izmir - Turkey



ROS 10



DATA SHEET: ROS 10

COFFEE ROASTING MACHINE

KEY FEATURES

Advanced Automation

- 15-inch touchscreen control for real-time adjustments (drum speed, exhaust, flame levels).
- Rostino Profile System: Saves unlimited roast profiles and replicates them precisely.
- AI Correction: Auto-adjusts flame/fan speed if deviations from saved profiles occur.

Optimized Roasting Performance

- Double-wall drum/18/mm for homogeneous heat distribution.
- Premix burner (supports propane, LPG, natural gas, or electricity).
- Fully automatic green/roasted coffee drop system.

Built for Professionals

- Industrial-grade durability for high-volume roasteries.
- Energy-efficient design with "Green" mode option.

• CONTROL & SOFTWARE

- Touchscreen Interface: Adjust motors, drum speed, exhaust, and flame levels.
- Unlimited Profile Storage: Save and replay exact roast sequences.
- AI-Powered Roasting: Auto-corrects deviations from saved profiles.

• SAFETY & COMPLIANCE

- CE / ISO Certified (specify if applicable)
- OSHA-compliant safety mechanisms (emergency stop, overheating protection).



**CAPACITY: 10KG PER BATCH | OUTPUT:
30–40 KG/H (VARIES BY ROASTING STYLE)**

- TECHNICAL SPECIFICATIONS
- Parameter Specification
- Dimensions (W×L×H) 146*213*185 cm
- Weight 10 kg (batch capacity)
- Exhaust Pipe Diameter Ø168 mm
- Power Supply Single Phase: 110/220V 50/60Hz
- Three Phase: 380/400V 50/60Hz
- Power Consumption 10 kW/h
- Electric Current 13A
- Fuel Options Propane, LPG, Natural Gas, Electricity
- Gas Pressure (Operating) NG: 20 mbar / LPG: 30 mbar
- Source Gas Pressure 1–4 bar

• OPTIONAL ACCESSORIES

- Afterburner (for emissions control)
- Cooling tray extensions
- Remote monitoring software



 **ROSTINO**

CONTACT US

+905383607501

Izmir - Turkey

ROS 15



DATA SHEET: ROS 15

COFFEE ROASTING MACHINE

KEY FEATURES

Advanced Automation

- 15-inch touchscreen control for real-time adjustments (drum speed, exhaust, flame levels).
- Rostino Profile System: Saves unlimited roast profiles and replicates them precisely.
- AI Correction: Auto-adjusts flame/fan speed if deviations from saved profiles occur.

Optimized Roasting Performance

- Double-wall drum/18/mm for homogeneous heat distribution.
- Premix burner (supports propane, LPG, natural gas, or electricity).
- Fully automatic green/roasted coffee drop system.

Built for Professionals

- Industrial-grade durability for high-volume roasteries.
- Energy-efficient design with "Green" mode option.

• CONTROL & SOFTWARE

- Touchscreen Interface: Adjust motors, drum speed, exhaust, and flame levels.
- Unlimited Profile Storage: Save and replay exact roast sequences.
- AI-Powered Roasting: Auto-corrects deviations from saved profiles.

• SAFETY & COMPLIANCE

- CE / ISO Certified (specify if applicable)
- OSHA-compliant safety mechanisms (emergency stop, overheating protection).



**CAPACITY: 15 KG PER BATCH | OUTPUT:
45–60 KG/H (VARIES BY ROASTING STYLE)**

- TECHNICAL SPECIFICATIONS
- Parameter Specification
- Dimensions (W×L×H) 158*231*196 cm
- Weight 15kg (batch capacity)
- Exhaust Pipe Diameter Ø168 mm
- Power Supply Single Phase: 110/220V 50/60Hz
- Three Phase: 380/400V 50/60Hz
- Power Consumption 12kW/h
- Electric Current 14A
- Fuel Options Propane, LPG, Natural Gas, Electricity
- Gas Pressure (Operating) NG: 20 mbar / LPG: 30 mbar
- Source Gas Pressure 1–4 bar

• OPTIONAL ACCESSORIES

- Afterburner (for emissions control)
- Cooling tray extensions
- Remote monitoring software



 **ROSTINO**

CONTACT US

+905383607501

Izmir - Turkey

ROS 30



DATA SHEET: ROS 30

COFFEE ROASTING MACHINE

KEY FEATURES

Advanced Automation

- 22-inch touchscreen control for real-time adjustments (drum speed, exhaust, flame levels).
- Rostino Profile System: Saves unlimited roast profiles and replicates them precisely.
- AI Correction: Auto-adjusts flame/fan speed if deviations from saved profiles occur.

Optimized Roasting Performance

- Double-wall drum/18/mm for homogeneous heat distribution.
- Premix burner (supports propane, LPG, natural gas, or electricity).
- Fully automatic green/roasted coffee drop system.

Built for Professionals

- Industrial-grade durability for high-volume roasteries.
- Energy-efficient design with "Green" mode option.

• CONTROL & SOFTWARE

- Touchscreen Interface: Adjust motors, drum speed, exhaust, and flame levels.
- Unlimited Profile Storage: Save and replay exact roast sequences.
- AI-Powered Roasting: Auto-corrects deviations from saved profiles.

• SAFETY & COMPLIANCE

- CE / ISO Certified (specify if applicable)
- OSHA-compliant safety mechanisms (emergency stop, overheating protection).



CAPACITY: 30 KG PER BATCH | OUTPUT: 90-120 KG/H (VARIES BY ROASTING STYLE)

- TECHNICAL SPECIFICATIONS
- Parameter Specification
- Dimensions (W×L×H) 280 × 290 × 270 cm
- Weight 30 kg (batch capacity)
- Exhaust Pipe Diameter Ø168 mm
- Power Supply Single Phase: 110/220V 50/60Hz
- Three Phase: 380/400V 50/60Hz
- Power Consumption 30 kW/h
- Electric Current 30A
- Fuel Options Propane, LPG, Natural Gas, Electricity
- Gas Pressure (Operating) NG: 20 mbar / LPG: 30 mbar
- Source Gas Pressure 1–4 bar

- OPTIONAL ACCESSORIES
- Afterburner (for emissions control)
- Cooling tray extensions
- Remote monitoring software



CONTACT US

+905383607501

Izmir - Turkey

ROS60



DATA SHEET: ROS60

COFFEE ROASTING MACHINE

KEY FEATURES

Advanced Automation

- 22-inch touchscreen control for real-time adjustments (drum speed, exhaust, flame levels).
- Rostino Profile System: Saves unlimited roast profiles and replicates them precisely.
- AI Correction: Auto-adjusts flame/fan speed if deviations from saved profiles occur.

Optimized Roasting Performance

- Double-wall drum/18/mm for homogeneous heat distribution.
- Premix burner (supports propane, LPG, natural gas, or electricity).
- Fully automatic green/roasted coffee drop system.

Built for Professionals

- Industrial-grade durability for high-volume roasteries.
- Energy-efficient design with "Green" mode option.

• CONTROL & SOFTWARE

- Touchscreen Interface: Adjust motors, drum speed, exhaust, and flame levels.
- Unlimited Profile Storage: Save and replay exact roast sequences.
- AI-Powered Roasting: Auto-corrects deviations from saved profiles.

• SAFETY & COMPLIANCE

- CE / ISO Certified (specify if applicable)
- OSHA-compliant safety mechanisms (emergency stop, overheating protection).



CAPACITY: 60 KG PER BATCH | OUTPUT: 180-240 KG/H (VARIES BY ROASTING STYLE)

• TECHNICAL SPECIFICATIONS

- Parameter Specification
- Dimensions (W×L×H) 315 × 330 × 325 cm
- Weight 60 kg (batch capacity)
- Exhaust Pipe Diameter Ø168 mm
- Power Supply Single Phase: 110/220V 50/60Hz
- Three Phase: 380/400V 50/60Hz
- Power Consumption 30 kW/h
- Electric Current 30A
- Fuel Options Propane, LPG, Natural Gas, Electricity
- Gas Pressure (Operating) NG: 20 mbar / LPG: 30 mbar
- Source Gas Pressure 1–4 bar

• OPTIONAL ACCESSORIES

- Afterburner (for emissions control)
- Cooling tray extensions
- Remote monitoring software



CONTACT US

+905383607501

Turkey - IZMIR